

Landesamt für Landwirtschaft, Umwelt und ländliche Räume
des Landes S.-H. | Hamburger Chaussee 25 | 24220 FlintbekEnvironmental Protection Agency
Ministry of the Environment and Food of
Denmark
Haraldsgade 53
DK-2100 København OsterbroTechnischer Umweltschutz
Genehmigungsverfahrensstelle, RechtIhr Zeichen:
Ihre Nachricht vom:
Mein Zeichen: 713-G50/2019/007
Meine Nachricht vom:Sven Glaubitz
Sven.Glaubitz@llur.landsh.de
Telefon: +49 4347/704-656
Telefax: +49 4347/704-60227.01.2020
Modtaget
Miljøstyrelsen**Approval procedure for the combined heat and power plant Flensburg 05 FEB. 2020**

Dear Sir or Madam,

With letter, dated 26 June 2018, and according to Espoo Convention I informed you that the Stadtwerke Flensburg GmbH, an operator of a combined heat and power, plan to exchange one coal-fired plant against a gas turbine plant.

Now I have the concrete application and I will start the approval process. Further details of the application and the environmental report are in the attached documents. If you want to have some more information or if you want to give a statement, please contacted me until February the 28th.

The whole applications documents are available for public review from 04 February 2020 to 03 March 2020 at the following places.


- Landesamt für Landwirtschaft, Umwelt und ländliche Räume, Hamburger Chaussee 25, 24220 Flintbek
Monday to Thursday from 9:00 to 15:30 o'clock,
Friday from 9:00 to 12:00 o'clock;
- Stadt Flensburg, Technische Rathaus I, Am Pferdewasser 14, 24937 Flensburg, Raum: H10,
Monday to Thursday from 8:00 to 12:00 o'clock and from 14:00 to 16:00 o'clock
Friday from 8:00 to 12:00 o'clock,
- Gemeinde Harrislee, Zimmer 36, Süderstraße 101, 24955 Harrislee,
Monday and Thursday from 8:00 to 13:00 o'clock,
Tuesday from 8:00 to 13:00 o'clock and from 14:30 to 16:30 o'clock,
Wednesday from 14:30 to 17:30 o'clock,
Friday from 08:00 to 12:00 o'clock.

In this time, you also can find the documents on the following address:

<https://www.uvp-verbund.de/>

During the presentation period and up to one month after this period, objections may be raised against the project.

Yours sincerely



Sven Glaubitz

Annex:

Environmental report
A short description of the application